

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	102268	Company Name:	Preproduction Plastics, Inc.	
Equipment Location:	210 Teller Street, Corona, CA 92879			SIC Code: 3995
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:		
Application #(s):	523009	Application Submittal Date(s):	5/27/2011	
AQMD Contact Person:	Stacey Ebner	Phone #:	E-Mail Address:	
		(909) 396-2504	sebner@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of plastic enclosures. The facility operates two spray booths, one oven, and other supporting equipment.				
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal				
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance				
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2011		<input checked="" type="checkbox"/> No TACs Reported <input type="checkbox"/> The Following TACs Were Reported: <u>Emissions (lbs/yr):</u>		
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = <u>0 in one million</u> Acute Hazard Index = _____ Chronic Hazard Index = _____				
Criteria Pollutant Emissions		<input type="checkbox"/> NOx 0 <input checked="" type="checkbox"/> PM 0.412		
Annual Reported Emissions (tons/year) for Reporting Year: 1		<input type="checkbox"/> CO 0 <input type="checkbox"/> SOx 0 <input checked="" type="checkbox"/> VOC 4.694 <input type="checkbox"/> Other: _____		
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (1) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)				
Comments:				